

**MSE 120 – Materials Production**

**Instructor M.P. Sherburne**

**Midterm – Thursday Oct. 29, 2015**

**12:30-2:00 384 Hearst Mining Building**

Name: \_\_\_\_\_

Name \_\_\_\_\_

SID \_\_\_\_\_

Problem	Score	Out of
1		/30
2		/20
3		/30
4		/20
Total		100

Equation Sheet:

$$C_m \approx \frac{10}{G}$$

$$t_{ex,d} = \frac{100}{r} \ln\left\{\frac{rR}{100P} + 1\right\}$$

$$\frac{dP}{dt} = \frac{r}{100}P$$

$$H = \frac{\text{FreeEnergyofFormation}}{\text{MolecularWeight}}$$

$$t_{ex,s} = \frac{R}{P}$$

$$P = P_0 \exp\left\{\frac{r(t-t_0)}{100}\right\}$$

$$R_i = -\frac{1}{V} \frac{dN_i}{dt} = -\frac{dC_i}{dt}$$

$$J = -D \frac{dC}{dx}$$

$$C_{AS} = \frac{hk}{h+k} C_{AB}$$

$$\frac{dR}{dt} = -\frac{M_Q}{\rho} \frac{hk}{h+k} C_{AB}$$

$$R_i = -\frac{1}{A} \frac{dN_i}{dt}$$

$$J_A = h(C_{AB} - C_{AS})$$

$$r_Q = -\frac{\rho}{M_Q} \frac{dR}{dt}$$

$$r_A = hC_{AB} \frac{R_Q^2}{R^2}$$

$$k = A \exp\left(\frac{-E_A}{RT}\right)$$

$$r_A = kC_A^{n_A}$$

$$t_c = \frac{R_o}{c}$$

$$R = R_o - \frac{M_Q k C_{AB}}{\rho} t$$

$$K = \text{Exp}\left(\frac{\Delta G}{RT}\right)$$

### Periodic Table – Atomic Masses

Key


29 ← Atomic number

Cu ← Symbol

63.54 ← Atomic weight

Metal
  Nonmetal
  Intermediate

IA	1 H 1.0080	IIA	3 Li 6.941	4 Be 9.0122	11 Na 22.990	12 Mg 24.305	III B	IV B	V B	VI B	VII B	VIII			IB	IIB	5 B 10.811	6 C 12.011	7 N 14.007	8 O 15.999	9 F 18.998	10 Ne 20.180														
	19 K 39.098	20 Ca 40.08	21 Sc 44.956	22 Ti 47.87	23 V 50.942	24 Cr 51.996	25 Mn 54.938	26 Fe 55.845	27 Co 58.933	28 Ni 58.69	29 Cu 63.54	30 Zn 65.41	31 Ga 69.72	32 Ge 72.64	33 As 74.922	34 Se 78.96	35 Br 79.904	36 Kr 83.80	13 Al 26.982	14 Si 28.086	15 P 30.974	16 S 32.064	17 Cl 35.453	18 Ar 39.948												
	37 Rb 85.47	38 Sr 87.62	39 Y 88.91	40 Zr 91.22	41 Nb 92.91	42 Mo 95.94	43 Tc (98)	44 Ru 101.07	45 Rh 102.91	46 Pd 106.4	47 Ag 107.87	48 Cd 112.41	49 In 114.82	50 Sn 118.71	51 Sb 121.76	52 Te 127.60	53 I 126.90	54 Xe 131.30	55 Cs 132.91	56 Ba 137.34	Rare earth series			85 At (210)	86 Rn (222)											
	87 Fr (223)	88 Ra (226)	Actinide series			104 Rf (261)	105 Db (262)	106 Sg (266)	107 Bh (264)	108 Hs (277)	109 Mt (268)	110 Ds (281)	80 Hg 200.59	81 Tl 204.38	82 Pb 207.19	83 Bi 208.98	84 Po (209)	85 At (210)	86 Rn (222)	87 Fr (223)	88 Ra (226)	89 Ac (227)	90 Th 232.04	91 Pa 231.04	92 U 238.03	93 Np (237)	94 Pu (244)	95 Am (243)	96 Cm (247)	97 Bk (247)	98 Cf (251)	99 Es (252)	100 Fm (257)	101 Md (258)	102 No (259)	103 Lr (262)



You have finished your bachelors' degree, congratulations, and showing your intelligence once again you have decided to forgo graduate school and go to work in the real world. You have two companies, LexCorp and Wayne Industries, fighting for your services, because of your vast knowledge in materials processing gained from MSE 120. You have decided to take the position at Wayne Industries, because while Mr. Wayne is not overly friendly you do not get the feeling that he is a criminal, which you got from Lex Luthor of LexCorp. Also this gives you a chance to work with Lucius Fox a fantastic scientist/engineering.

1. (20 pts.) *General Materials Production*

Prior to turning you lose on the problem they want you to solve Mr. Fox asked you some basic questions relevant to materials processing.

**(Circle the correct answer. If it is not clear what you are circling you are wrong!)**

- a. (2 pts) The Bronze Age followed the Iron Age because early metallurgist exhausted the supply of iron.
  - i. True
  - ii. False
  
- b. (2 pts) Almost all of our inorganic materials are derived from the Chalcosphere.
  - i. True
  - ii. False
  
- c. (2 pts) An element, for which the line in the Ellingham diagram for oxides is lower than the line for a second element, will readily reduce the oxide of the second element.
  - i. True
  - ii. False

- d. (2 pts) In carrying out an enthalpy balance the heat generated (or consumed) by any chemical reactions should be that at the reference temperature, rather than the actual temperature at which the reaction proceed.
- True
  - False
- e. (2 pts) When a system undergoes a change, more work is done by the system if the change is carried out reversibly, than when the change is carried out irreversibly.
- True
  - False
- f. (5pts.) In the production of metals the most important reducing agent (in terms of tons used per year by the industrialized nations) is
- Hydrogen
  - Carbon
  - Nutrasweet
  - Oxygen
  - Sulfuric acid

- g. (5pts.) The statement “At equilibrium a system is at the minimum Gibbs’ free energy.” Is
- Always true
  - Always false
  - True provided the minimum is with respect to other states at the same pressure
  - True provided the minimum is with respect to other states at the same temperature and pressure
  - None of the above
- h. (5pts.) Consider a component of a solution that can also exist in the gas above the solution. At equilibrium one variable is the same in the solution and the gas. That variable is
- The activity of the component
  - The concentration of the component
  - The standard state of the component
  - The activity coefficient of the component
  - The chemical potential of the component
- i. (5pts.) The rate equation for a reaction,  $A + B = C + D$  is found to be  $\mathfrak{R} = k_f C_A^2 - k_b C_C$ . The reaction is probably
- Homogeneous and reversible
  - Heterogeneous and irreversible
  - First order in A
  - Obeying Lanmuir-Hinshelwood kinetics
  - Heterogeneous and reversible





iii. (5 pts) It has been estimated that the total weight of the meteorite is 3,000,000 kg and that the kryptonite contained in the meteorites is 250kg, what is the grade? (Calculation)

iv. (5 pts) Knowing the ore grade can you give an estimate of the cost of the kryptonite? (Calculation)



c) (5 pts) Knowing that the  $KyS$  will react with oxygen and produce an oxide and sulfur dioxide, write the balanced chemical reaction.

d) (5 pts) For your equation in part (c) writes the equilibrium constant assuming that the solids are not pure.

e) (5 pts) Assuming that the processing will occur at 1200K, the solids can be treated as pure and the oxygen partial pressure of .25 atm, the  $R = 8.31447 \text{ J mol}^{-1} \text{ K}^{-1}$ . What is the partial pressure of  $\text{SO}_2$ ?

f) (5 pts) Would this reaction go to completion? Justify your answer in terms of the equilibrium constant.


4. (20 pts.)

a) (10 pts) You have converted the sulfide to an oxide. Through traditional pyrometallurgy processes you find that the oxide  $KyO_2$  is reduced to  $Ky_2O_3$  when reacted with carbon monoxide at 1400K and atmospheric pressure. Calculate the standard heat (enthalpy) of reaction for this process.

a. The standard enthalpies at 1400K are:

- i.  $KyO$  -802 (kJ/mol)
- ii.  $Ky_2O_3$  -1086 (kJ/mol)
- iii.  $CO$  -112 (kJ/mol)
- iv.  $CO_2$  -394 (kJ/mol)

b) (10 pts) Now you are going to attempt to process this compound by interconnecting three unit operations, as shown below. Two are perfectly mixed, while the third is plug flow. Prior to placing the kryptonite in the system you run a test with a tracer. At  $t = 0$  a small amount of tracer is introduced instantaneously at point A. Sketch the plot of tracer concentration at point B versus time. Be sure to label your plot.



Scratch Paper