Name:	
SID:	

## Physiology of Human Development (MCB 135E)

MIDTERM 2 November 8, 2006

Name:			
SID: _			
			Points Received
Part I:	Multiple Choice (30 points)		
-			
-		H-09-01-01-01-01-01-01-01-01-01-01-01-01-01-	
Part II:	True and False (20 points)	46	
Part III:	Short Answer (50 points)		
	48.5 (49)		,

**SCORE** 



Name: _	
SID:	

## Physiology of Human Development

Midterm 2 November 8, 2006.

- <u>I. Multiple choice questions (30 points, 2 points each correct answer) There is only one correct answer.</u>
- 1. The major hormones of delivery are involved with the following events:
  - A. Dilation of the cervix and secretion of relaxin
  - B. Expulsion of the fetus and uterine contractions under the influence of oxytocin
  - C. Expulsion of the placenta may be helped by injection of pitocin
  - D. All of the above
  - E. None of the above
- 2. The following are characteristics of hypothyroidism, EXCEPT
  - A. Protruding tongue
  - B. Thick skin (myxedema)
  - C. Weight Loss
  - D. High LDL Cholesterol
  - E. High Metabolism
- 3. Which is TRUE of brown fat cells?
  - A. Store triglyceride
  - B. Generate heat
  - C. Diminish with age
  - D. Are the major components of non-shivering thermogenesis
  - E. All of the above
- 4. Which of the following statements are <u>INCORRECT</u> about the gastrointestinal system?
  - A. Production of bile by the small intestine for the digestion of lipids.
  - B. Hydrochloric acid activates pepsin for the digestion of proteins in the stomach
  - C. The size of the stomach increases until adulthood, and then decreases around
  - 70 years of age
  - D. Is regulated by paracrine hormones
  - E. None of the above
- 5. Which are the characteristics of jaundice?
  - A. Jaundice may happen during the first week of life.
  - B. It may result from high levels of bilirubin in the blood
  - C. It occurs if there is an increased red blood cell destruction
  - D. B and C
  - E. All of the above

Name:		
SID:		

- 6. Common causes of increased risk for the newborn **INCLUDE**:
  - A Fetal distress
  - B. Meconium Aspiration
  - C. Blood poisoning
  - D. Congenital Anomalies
  - E. All of the above
- 7. Which of the following is TRUE about the kidney?
  - A. Secretes rennin when there is low blood flow to the kidneys
  - B. All the nephrons are functional at the same time
  - C. The loop of Henle is shorter in the newborn than in the adult, increasing the of dehydration in the newborn
  - D. B & C TAC
  - F All of the above
- 8. With respect to the infant nutrition, survival depends on:
  - A. The mother's ability to breast feed or availability of non-maternal milk
  - B. The baby's ability to suck
  - C. The baby's good development of the gastrointestinal function
  - D. The appropriate levels of maternal prolactin and oxytocin
  - E. All of the above
- 9. Of the following statements, which are *TRUE*?
  - A. The second peak of post-natal accelerated growth is dependent, in part, on sex hormones
  - B. Optimal growth reflects how healthy other systems of the body are
  - C. The first peak of growth occurs in the 4<sup>th</sup> prenatal month when the placenta is largest and most effective
  - D. The second peak of accelerated growth occurs at puberty
  - Ξ. All of the above
- 10. Which of the following statements are true of the Pygmies **EXCEPT**:
  - A. Have very low levels of IGF-1
  - B. Have normal levels of GH
  - C. Have normal levels of IGF-2
  - D. Are usually deficient in protein
  - E. Have well proportioned bodies
- 11. Indicate which of the following is *TRUE* with respect to the following disorders.
  - A. Acromegaly occurs when there is an excess of GH in adulthood
  - B. Dwarfism is more common than gigantism
  - C. There is protein deficiency in Kwashiorkor
  - D. The stomach can become distended in Marasmus since the malnourished children are more prone to GI infections
  - E. All of the above

Name:		
SID:	Neg-18	

- 12. Risk factors for dehydration in infants and young children are due to various conditions operating at various levels. They include the following, EXCEPT
  - A. Greater water loss from the skin
  - B. Diarrhea from the gastro-intestinal tract
  - C. Difficulty for water reabsorption by the immature kidney
  - D. Excess secretion of anti-diuretic hormone (ADH)
  - E. Reduced production of urea from the liver
- 13. Which of the following factors affect growth?
  - A. Genetics
  - B. Hormonal Activity
  - C. Stress
  - D. A & B
  - E. All of the above
- 14. Which of the following factors does not reduce IGF1 secretion?
  - A. Cortisol
  - 3. Growth Hormone
  - C. Deficiency in proteins
  - D. Large dose of estrogens
  - F. Diabetes
- 15. Which of the following is correct about kernicturus?
  - A. Occurs only when the mother is Rh- and fetus is Rh+
  - B. Leads to jaundice if the bile levels are increased in blood and tissues
  - C. Leads to destruction of the red blood cells
  - D. All of the above
    - E. None of the above
- II. (20 Points total) True or False (In the SCANTRON, True is A, False is B).
- 16. The Fetal Distress Syndrome is due to lack or insufficient surfactant
- 17. The levels of estrogen and progesterone increase throughout pregnancy but levels of progesterone decrease when close to delivery (around 7 months).
- 18. The release of cortisol from the adrenal cortex initiates uterine contractions.
- 19. Hypoxia can occur if too much pitocin is administered during labor
- 20. Newborns increase cardiac output by increasing heart rate and contractility



1	
1	

D) Umbilical Artery

Name:	1
SID:	

D)\_\_\_

2. The degree of oxygenation of the fetus is a key factor in his/her neonatal survival. Below is	a
list of the structures/function concerned with the oxygenation of the fetus. Indicate the	
corresponding structures in the newborn. (10 points, 2 points each)	

Prenatal Structure	Postnatal Structure
A) Uterine Artery	A)
B) Placental Sinusoids	B)
C) Umbilical Vein	C)

E) Maternal Myocardium E) \_\_\_

3. The most important hormones for total post-natal body growth include the following three hormones. Indicate the type of chemical structure, from where they are secreted, and 2 major actions. (12 points, 1 point for each answer)

NAME Type of Chemical Site of Secretion 2 Major Actions (1 point for each)

A)
Growth
Hormone

B)
Thyroid
Hormone

Parathyroid Hormone

	7	Name: SID:	_	
	4. List 4 types of dwarfism and indicat (8 points, 2 points each)	e their cause(s)		
	A)		the safe and a safe and a safe a	
	B)		g matatacite to said	****
+8	C) man man - 1 - June - ma	er act - Decon - from - de	e <sup>e</sup>	
	D)_			
	5. An appropriate acid-base balance is necessa A. Explain what do we mean by acid-base bal		ntained around a	

value of 7.4 and C. Indicate which are the two major systems /functions of the body the regulate

the pH and briefly explain how they do it (10 points, 3 points A & B each and 4 points C)