

Solution

Chris  
James

(Note: The attached solution was for a slightly different draft of the exam)

# ME 40 Thermodynamics Quiz 2

Feb. 27, 2013

Closed Book

Allowed 1 page of your own notes (8.5" x 11", front and back).

3 problems, equal weight

### General Advice:

Be clear about what system you are analyzing.

Be clear about your assumptions.

Be careful about units.

Name: .....

Student ID# .....

**Discussion Section (Circle One)**

Monday 1 - 2 pm

Tuesday 4 - 5 pm.

Thursday 1 -2 pm.

**NOTE:** You may omit interpolation if it makes less than 10% difference between adjacent table entries:

Example: Given  $u_2=501$  kJ/kg, find  $T_2$ . Table is below.

T (°C)	u (kJ/kg)
100	500
105	520

Answer: Since 501 is "very close" to 500, can report  $T_2=100$  °C (rather than interpolating to 100.25 °C).

### Problem 1 (20 pts)

An gas turbine engine on a test stand has just been shut down, and has an average temperature of  $T_{t,1}=1000\text{ }^\circ\text{C}$ . The turbine's mass is  $m_t=200\text{ kg}$  and it is housed in a large, closed hangar at a pressure of 1 atmosphere. The hangar volume is  $V_h=500\text{ m}^3$  and its initial air temperature is  $T_{h,1}=20\text{ }^\circ\text{C}$ .

After 1 hour, the air and turbine have come to equilibrium at  $T_2$ . During this time there was a heat loss of  $Q_{\text{lost}}=200\text{ kJ}$  through the hangar walls.

#### Additional Given Information

Air:  $C_p=1.00\text{ kJ/kg}\cdot\text{K}$ ,  $C_v=0.71\text{ kJ/kg}\cdot\text{K}$ ,  $M=29\text{ kg/kmol}$

Turbine (primarily steel):  $C_t=0.50\text{ kJ/kg}\cdot\text{K}$

(a) The critical point properties of air are  $T_c=133\text{ K}$ ,  $P_c=3.77\text{ MPa}$ . Do you expect the ideal gas law to be a good approximation in this problem? Why?

(b) Assuming constant properties, derive an expression for  $T_2$  as a function of other known or given quantities. (Do not plug in the numbers.)

$$\textcircled{a} \quad P_R = \frac{P}{P_c} = \frac{1\text{ atm}}{3.77\text{ MPa}} = 0.027$$


$$T_R = \frac{T}{T_c} = \frac{\geq 293}{133} = \geq 2.20$$

Recall basic shape of Z chart

For small  $P_R$  (and large  $T_R$ ),

Z very close to 1

$\Rightarrow$  IGL good v.



(Fine if you don't know the exact shape of the Z chart but still know that  $P \ll P_c$  and  $T > T_c$  are good.)

①

$$T_{t,1} = 1000^\circ\text{C}$$

$$V_h = 5.00 \text{ m}^3$$


②

$$m_t = 200 \text{ kg}$$

$$T_{h,1} = 20^\circ\text{C}$$

Find  $T_2$ .

$$Q_{12, \text{out}} = 200 \text{ kJ}$$



$$U_2 - U_1 = -Q_{\text{out}}$$

$$(U_2 - U_1)_t + (U_2 - U_1)_h = -Q_{\text{out}}$$

$$m_t c_t (T_2 - T_{t,1}) + m_h c_h (T_2 - T_{h,1}) = -Q_{\text{out}}$$

(Note  $c_v$ , not  $c_p$ ,  
for the ideal gas)

isolate  $T_2$ :

$$T_2 (m_t c_t + m_h c_h) = (m_t c_t T_{t,1} + m_h c_h T_{h,1}) - Q_{\text{out}}$$

$$T_2 = \frac{m_t c_t T_{t,1} + m_h c_h T_{h,1} - Q_{\text{out}}}{m_t c_t + m_h c_h}$$

Need  $m_h$ :

$$PV = mRT$$

$$m = \frac{PV}{RT} \text{ is const.}$$

$$\text{or, } R = c_p - c_v = 0.29 \frac{\text{kJ}}{\text{kg K}}$$

$$R = \frac{R_u}{M} = 0.287 \frac{\text{kJ}}{\text{kg K}}$$

(So the specific volume remains constant.)

**Problem 2 (20 pts)**

$$m = \text{const.}$$

$$V = \text{const.}$$


A sealed, rigid vessel contains water ( $V=0.522 \text{ m}^3$ ,  $m=2 \text{ kg}$ ).

The initial pressure is  $p_1=800 \text{ kPa}$ .

There is a heat loss  $Q_{12}$  until the final temperature is  $T_2=150 \text{ }^\circ\text{C}$ .

- (a) Sketch this process on a p-v diagram: Label states 1 and 2, show and label all relevant isotherm(s), and indicate the vapor dome.
- (b) What is the initial temperature,  $T_1$ ?
- (c) What is the final pressure,  $p_2$ ?
- (d) Find  $Q_{12}$ .

2




$V_1 = 0.522 \text{ m}^3$   
 $m_1 = 2 \text{ kg}$   
 $P_1 = 800 \text{ kPa}$

$\rightarrow v_1 = 0.261$

SHV,  $200^\circ\text{C}$   
Table

a



$T_2 = 150^\circ$

$v_2 = v_1$

$\rightarrow$  2-phase:  $x =$

$\frac{v_2 - v_{2f}}{v_{2g} - v_{2f}} = \frac{0.261 - 0.001}{0.392 - 0.001}$

$= 0.66 = x_2$

$P_2 = 476 \text{ kPa}$   
Sat table

d

1U:  $u_2 - u_1 = Q_{12in}$

$Q_{12in} = m(u_1 - u_2)$

$2631 \frac{\text{kJ}}{\text{kg}}$

$u_{2f} + x_2 u_{2fg} = 1913$

$= 1435 \text{ kJ}$

**Problem 3 (20 pts)**

A cylinder of water ( $m=10$  kg) is held at a constant temperature of  $T=150$  °C. Its initial pressure is  $p_1=1$  MPa.


There is a gradual heat transfer into the water, with a simultaneous expansion, such that the net value of  $(Q_{in} - W_{expansion,out})$  is  $+19,393$  kJ. The temperature remains constant at  $150$  °C.

(a) Sketch this process on a p-v diagram: Label states 1 and 2, show and label all relevant isotherm(s), and indicate the vapor dome.

(b) What is the initial volume of the cylinder,  $V_1$ ?

(c) What is the final volume of the cylinder,  $V_2$ ?

3



S.C.C

$$P_1 = 1 \text{ MPa}$$

$$T_1 = 150^\circ\text{C}$$

$$m = 10 \text{ kg}$$

$$Q_{in} - W_{by} = +19,393 \text{ kJ}$$

$$\left\{ \begin{aligned} u_1 &\approx u_f = 0.0011 \text{ m}^3/\text{kg} \\ u_1 &\approx u_f = 631.7 \text{ kJ/kg} \end{aligned} \right. \rightarrow \underline{\underline{V_1 = 0.011 \text{ m}^3}}$$

(b)

(Note T is constant, not P.)

$$U_1 = mu_1 = 6316.6 \text{ kJ}$$

(c) 1<sup>st</sup> Law:  $U_2 - U_1 = (Q_{in} - W_{by})$  (closed)

$$U_2 = 6316.6 + 19,393 = 25,709.6 \text{ kJ}$$


$$u_2 = 2,571.0 \text{ kJ/kg}$$

State 2:  $2571 \text{ kJ/kg}$  and  $T = 150^\circ\text{C} \rightarrow$  S.H.V.

$$0.30 \text{ MPa}$$

$$v = 0.634 \rightarrow \boxed{V_2 = 6.34 \text{ m}^3}$$

a



TEAR OFF AT START OF EXAM  
this page

TABLE A-4

Saturated water—Temperature table

Temp., $T$ °C	Sat. press., $P_{sat}$ kPa	Specific volume, $m^3/kg$		Internal energy, $kJ/kg$			Enthalpy, $kJ/kg$			Entropy, $kJ/kg \cdot K$		
		Sat. liquid, $v_f$	Sat. vapor, $v_g$	Sat. liquid, $u_f$	Evap., $u_{fg}$	Sat. vapor, $u_g$	Sat. liquid, $h_f$	Evap., $h_{fg}$	Sat. vapor, $h_g$	Sat. liquid, $s_f$	Evap., $s_{fg}$	Sat. vapor, $s_g$
0.01	0.6117	0.001000	206.00	0.000	2374.9	2374.9	0.001	2500.9	2500.9	0.0000	9.1556	9.1556
5	0.8725	0.001000	147.03	21.019	2360.8	2381.8	21.020	2489.1	2510.1	0.0763	8.9487	9.0249
10	1.2281	0.001000	106.32	42.020	2346.6	2388.7	42.022	2477.2	2519.2	0.1511	8.7488	8.8999
15	1.7057	0.001001	77.885	62.980	2332.5	2395.5	62.982	2465.4	2528.3	0.2245	8.5559	8.7803
20	2.3392	0.001002	57.762	83.913	2318.4	2402.3	83.915	2453.5	2537.4	0.2965	8.3696	8.6661
25	3.1698	0.001003	43.340	104.83	2304.3	2409.1	104.83	2441.7	2546.5	0.3672	8.1895	8.5567
30	4.2469	0.001004	32.879	125.73	2290.2	2415.9	125.74	2429.8	2555.6	0.4368	8.0152	8.4520
35	5.6291	0.001006	25.205	146.63	2276.0	2422.7	146.64	2417.9	2564.6	0.5051	7.8466	8.3517
40	7.3851	0.001008	19.515	167.53	2261.9	2429.4	167.53	2406.0	2573.5	0.5724	7.6832	8.2556
45	9.5953	0.001010	15.251	188.43	2247.7	2436.1	188.44	2394.0	2582.4	0.6386	7.5247	8.1633
50	12.352	0.001012	12.026	209.33	2233.4	2442.7	209.34	2382.0	2591.3	0.7038	7.3710	8.0748
55	15.763	0.001015	9.5639	230.24	2219.1	2449.3	230.26	2369.8	2600.1	0.7680	7.2218	7.9898
60	19.947	0.001017	7.6670	251.16	2204.7	2455.9	251.18	2357.7	2608.8	0.8313	7.0769	7.9082
65	25.043	0.001020	6.1935	272.09	2190.3	2462.4	272.12	2345.4	2617.5	0.8937	6.9360	7.8296
70	31.202	0.001023	5.0396	293.04	2175.8	2468.9	293.07	2333.0	2626.1	0.9551	6.7989	7.7540
75	38.597	0.001026	4.1291	313.99	2161.3	2475.3	314.03	2320.6	2634.6	1.0158	6.6655	7.6812
80	47.416	0.001029	3.4053	334.97	2146.6	2481.6	335.02	2308.0	2643.0	1.0756	6.5355	7.6111
85	57.868	0.001032	2.8261	355.96	2131.9	2487.8	356.02	2295.3	2651.4	1.1346	6.4089	7.5435
90	70.183	0.001036	2.3593	376.97	2117.0	2494.0	377.04	2282.5	2659.6	1.1929	6.2853	7.4782
95	84.609	0.001040	1.9808	398.00	2102.0	2500.1	398.09	2269.6	2667.6	1.2504	6.1647	7.4151
100	101.42	0.001043	1.6720	419.06	2087.0	2506.0	419.17	2256.4	2675.6	1.3072	6.0470	7.3542
105	120.90	0.001047	1.4186	440.15	2071.8	2511.9	440.28	2243.1	2683.4	1.3634	5.9319	7.2952
110	143.38	0.001052	1.2094	461.27	2056.4	2517.7	461.42	2229.7	2691.1	1.4188	5.8193	7.2382
115	169.18	0.001056	1.0360	482.42	2040.9	2523.3	482.59	2216.0	2698.6	1.4737	5.7092	7.1829
120	198.67	0.001060	0.89133	503.60	2025.3	2528.9	503.81	2202.1	2706.0	1.5279	5.6013	7.1292
125	232.23	0.001065	0.77012	524.83	2009.5	2534.3	525.07	2188.1	2713.1	1.5816	5.4956	7.0771
130	270.28	0.001070	0.66808	546.10	1993.4	2539.5	546.38	2173.7	2720.1	1.6346	5.3919	7.0265
135	313.22	0.001075	0.58179	567.41	1977.3	2544.7	567.75	2159.1	2726.9	1.6872	5.2901	6.9773
140	361.53	0.001080	0.50850	588.77	1960.9	2549.6	589.16	2144.3	2733.5	1.7392	5.1901	6.9294
145	415.68	0.001085	0.44600	610.19	1944.2	2554.4	610.64	2129.2	2739.8	1.7908	5.0919	6.8827
150	476.16	0.001091	0.39248	631.66	1927.4	2559.1	632.18	2113.8	2745.9	1.8418	4.9953	6.8371
155	543.49	0.001096	0.34648	653.19	1910.3	2563.5	653.79	2098.0	2751.8	1.8924	4.9002	6.7927
160	618.23	0.001102	0.30680	674.79	1893.0	2567.8	675.47	2082.0	2757.5	1.9426	4.8066	6.7492
165	700.93	0.001108	0.27244	696.46	1875.4	2571.9	697.24	2065.6	2762.8	1.9923	4.7143	6.7067
170	792.18	0.001114	0.24260	718.20	1857.5	2575.7	719.08	2048.8	2767.9	2.0417	4.6233	6.6650
175	892.60	0.001121	0.21659	740.02	1839.4	2579.4	741.02	2031.7	2772.7	2.0906	4.5335	6.6242
180	1002.8	0.001127	0.19384	761.92	1820.9	2582.8	763.05	2014.2	2777.2	2.1392	4.4448	6.5841
185	1123.5	0.001134	0.17390	783.91	1802.1	2586.0	785.19	1996.2	2781.4	2.1875	4.3572	6.5447
190	1255.2	0.001141	0.15636	806.00	1783.0	2589.0	807.43	1977.9	2785.3	2.2355	4.2705	6.5059
195	1398.8	0.001149	0.14089	828.18	1763.6	2591.7	829.78	1959.0	2788.8	2.2831	4.1847	6.4678
200	1554.9	0.001157	0.12721	850.46	1743.7	2594.2	852.26	1939.8	2792.0	2.3305	4.0997	6.4302
...												
225	2549.7	0.001199	0.078405	963.70	1638.6	2602.3	966.76	1835.4	2802.2	2.5639	3.6844	6.2483
250	3976.2	0.001252	0.050085	1080.7	1521.1	2601.8	1085.7	1715.3	2801.0	2.7933	3.2788	6.0721
275	5946.4	0.001317	0.032767	1202.9	1387.4	2590.3	1210.7	1574.5	2785.2	3.0221	2.8723	5.8944
300	8587.9	0.001404	0.021659	1332.7	1230.9	2563.6	1344.8	1404.8	2749.6	3.2548	2.4511	5.7059
325	12,051	0.001528	0.014183	1475.0	1038.5	2513.4	1493.4	1191.0	2684.3	3.4998	1.9911	5.4908
350	16,529	0.001741	0.008806	1642.4	775.9	2418.3	1671.2	892.7	2563.9	3.7788	1.4326	5.2114
...												
355	17,570	0.001808	0.007872	1682.2	706.4	2388.6	1714.0	812.9	2526.9	3.8442	1.2942	5.1384
360	18,666	0.001895	0.006950	1726.2	625.7	2351.9	1761.5	720.1	2481.6	3.9165	1.1373	5.0537
365	19,822	0.002015	0.006009	1777.2	526.4	2303.6	1817.2	605.5	2422.7	4.0004	0.9489	4.9493
370	21,044	0.002217	0.004953	1844.5	385.6	2230.1	1891.2	443.1	2334.3	4.1119	0.6890	4.8009
373.95	22,064	0.003106	0.003106	2015.7	0	2015.7	2084.3	0	2084.3	4.4070	0	4.4070



**TABLE A-6**

**Superheated water**

<i>T</i> °C	<i>v</i> m <sup>3</sup> /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K	<i>v</i> m <sup>3</sup> /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K	<i>v</i> m <sup>3</sup> /kg	<i>u</i> kJ/kg	<i>h</i> kJ/kg	<i>s</i> kJ/kg · K
<i>P</i> = 0.01 MPa (45.81 °C)*				<i>P</i> = 0.05 MPa (81.32 °C)				<i>P</i> = 0.10 MPa (99.61 °C)				
Sat. <sup>†</sup>	14.670	2437.2	2583.9	8.1488	3.2403	2483.2	2645.2	7.5931	1.6941	2505.6	2675.0	7.3589
50	14.867	2443.3	2592.0	8.1741								
100	17.196	2515.5	2687.5	8.4489	3.4187	2511.5	2682.4	7.6953	1.6959	2506.2	2675.8	7.3611
150	19.513	2587.9	2783.0	8.6893	3.8897	2585.7	2780.2	7.9413	1.9367	2582.9	2776.6	7.6148
200	21.826	2661.4	2879.6	8.9049	4.3562	2660.0	2877.8	8.1592	2.1724	2658.2	2875.5	7.8356
250	24.136	2736.1	2977.5	9.1015	4.8206	2735.1	2976.2	8.3568	2.4062	2733.9	2974.5	8.0346
300	26.446	2812.3	3076.7	9.2827	5.2841	2811.6	3075.8	8.5387	2.6389	2810.7	3074.5	8.2172
400	31.063	2969.3	3280.0	9.6094	6.2094	2968.9	3279.3	8.8659	3.1027	2968.3	3278.6	8.5452
500	35.680	3132.9	3489.7	9.8998	7.1338	3132.6	3489.3	9.1566	3.5655	3132.2	3488.7	8.8362
600	40.296	3303.3	3706.3	10.1631	8.0577	3303.1	3706.0	9.4201	4.0279	3302.8	3705.6	9.0999
700	44.911	3480.8	3929.9	10.4056	8.9813	3480.6	3929.7	9.6626	4.4900	3480.4	3929.4	9.3424
800	49.527	3665.4	4160.6	10.6312	9.9047	3665.2	4160.4	9.8883	4.9519	3665.0	4160.2	9.5682
900	54.143	3856.9	4398.3	10.8429	10.8280	3856.8	4398.2	10.1000	5.4137	3856.7	4398.0	9.7800
1000	58.758	4055.3	4642.8	11.0429	11.7513	4055.2	4642.7	10.3000	5.8755	4055.0	4642.6	9.9800
1100	63.373	4260.0	4893.8	11.2326	12.6745	4259.9	4893.7	10.4897	6.3372	4259.8	4893.6	10.1698
1200	67.989	4470.9	5150.8	11.4132	13.5977	4470.8	5150.7	10.6704	6.7988	4470.7	5150.6	10.3504
1300	72.604	4687.4	5413.4	11.5857	14.5209	4687.3	5413.3	10.8429	7.2605	4687.2	5413.3	10.5229
<i>P</i> = 0.20 MPa (120.21 °C)				<i>P</i> = 0.30 MPa (133.52 °C)				<i>P</i> = 0.40 MPa (143.61 °C)				
Sat.	0.88578	2529.1	2706.3	7.1270	0.60582	2543.2	2724.9	6.9917	0.46242	2553.1	2738.1	6.8955
150	0.95986	2577.1	2769.1	7.2810	0.63402	2571.0	2761.2	7.0792	0.47088	2564.4	2752.8	6.9306
200	1.08049	2654.6	2870.7	7.5081	0.71643	2651.0	2865.9	7.3132	0.53434	2647.2	2860.9	7.1723
250	1.19890	2731.4	2971.2	7.7100	0.79645	2728.9	2967.9	7.5180	0.59520	2726.4	2964.5	7.3804
300	1.31623	2808.8	3072.1	7.8941	0.87535	2807.0	3069.6	7.7037	0.65489	2805.1	3067.1	7.5677
400	1.54934	2967.2	3277.0	8.2236	1.03155	2966.0	3275.5	8.0347	0.77265	2964.9	3273.9	7.9003
500	1.78142	3131.4	3487.7	8.5153	1.18672	3130.6	3486.6	8.3271	0.88936	3129.8	3485.5	8.1933
600	2.01302	3302.2	3704.8	8.7793	1.34139	3301.6	3704.0	8.5915	1.00558	3301.0	3703.3	8.4580
700	2.24434	3479.9	3928.8	9.0221	1.49580	3479.5	3928.2	8.8345	1.12152	3479.0	3927.6	8.7012
800	2.47550	3664.7	4159.8	9.2479	1.65004	3664.3	4159.3	9.0605	1.23730	3663.9	4158.9	8.9274
900	2.70656	3856.3	4397.7	9.4598	1.80417	3856.0	4397.3	9.2725	1.35298	3855.7	4396.9	9.1394
1000	2.93755	4054.8	4642.3	9.6599	1.95824	4054.5	4642.0	9.4726	1.46859	4054.3	4641.7	9.3396
1100	3.16848	4259.6	4893.3	9.8497	2.11226	4259.4	4893.1	9.6624	1.58414	4259.2	4892.9	9.5295
1200	3.39938	4470.5	5150.4	10.0304	2.26624	4470.3	5150.2	9.8431	1.69966	4470.2	5150.0	9.7102
1300	3.63026	4687.1	5413.1	10.2029	2.42019	4686.9	5413.0	10.0157	1.81516	4686.7	5412.8	9.8828
<i>P</i> = 0.50 MPa (151.83 °C)				<i>P</i> = 0.60 MPa (158.83 °C)				<i>P</i> = 0.80 MPa (170.41 °C)				
Sat.	0.37483	2560.7	2748.1	6.8207	0.31560	2566.8	2756.2	6.7593	0.24035	2576.0	2768.3	6.6616
200	0.42503	2643.3	2855.8	7.0610	0.35212	2639.4	2850.6	6.9683	0.26088	2631.1	2839.8	6.8177
250	0.47443	2723.8	2961.0	7.2725	0.39390	2721.2	2957.6	7.1833	0.29321	2715.9	2950.4	7.0402
300	0.52261	2803.3	3064.6	7.4614	0.43442	2801.4	3062.0	7.3740	0.32416	2797.5	3056.9	7.2345
350	0.57015	2883.0	3168.1	7.6346	0.47428	2881.6	3166.1	7.5481	0.35442	2878.6	3162.2	7.4107
400	0.61731	2963.7	3272.4	7.7956	0.51374	2962.5	3270.8	7.7097	0.38429	2960.2	3267.7	7.5735
500	0.71095	3129.0	3484.5	8.0893	0.59200	3128.2	3483.4	8.0041	0.44332	3126.6	3481.3	7.8692
600	0.80409	3300.4	3702.5	8.3544	0.66976	3299.8	3701.7	8.2695	0.50186	3298.7	3700.1	8.1354
700	0.89696	3478.6	3927.0	8.5978	0.74725	3478.1	3926.4	8.5132	0.56011	3477.2	3925.3	8.3794
800	0.98966	3663.6	4158.4	8.8240	0.82457	3663.2	4157.9	8.7395	0.61820	3662.5	4157.0	8.6061
900	1.08227	3855.4	4396.6	9.0362	0.90179	3855.1	4396.2	8.9518	0.67619	3854.5	4395.5	8.8185
1000	1.17480	4054.0	4641.4	9.2364	0.97893	4053.8	4641.1	9.1521	0.73411	4053.3	4640.5	9.0189
1100	1.26728	4259.0	4892.6	9.4263	1.05603	4258.8	4892.4	9.3420	0.79197	4258.3	4891.9	9.2090
1200	1.35972	4470.0	5149.8	9.6071	1.13309	4469.8	5149.6	9.5229	0.84980	4469.4	5149.3	9.3898
1300	1.45214	4686.6	5412.6	9.7797	1.21012	4686.4	5412.5	9.6955	0.90761	4686.1	5412.2	9.5625

\*The temperature in parentheses is the saturation temperature at the specified pressure.

† Properties of saturated vapor at the specified pressure.