

Math 1B, Final Examination

N.Reshetikhin, May 15, 2015

<i>Problem</i>	1	2	3	4	5	6	7	8	9	10	11	12	<i>Total</i>
<i>Points</i>	15	15	15	15	15	15	15	15	15	15	15	15	180
<i>Grade</i>													

Student's Name:

GSI's name:

Student's i.d. number:

1.15 *pnts* Evaluate the integral

$$\int \sin(2x)e^{\sin x} dx$$

2.15 *pnts* Compute the integral

$$\int \frac{4dx}{(x-1)(x^2-1)}$$

3.15 *pnts* Say whether each improper integral is convergent or divergent. Do not show your work. Each correct answer is worth 3 *pnts* and each wrong answer is worth 0 *pnts*.

1. $\int_1^{\infty} \frac{dx}{x \ln x}$.

2. $\int_1^{\infty} \frac{1}{x(\ln x)^2} dx$.

3. $\int_0^{\infty} \frac{1 - \cos x}{x^2} dx$.

4. $\int_0^{\infty} \frac{\sin(x^2)}{x^2} dx$.

5. $\int_0^1 \frac{dx}{x\sqrt{1-x}}$.

4.15 *pnts* Find the radius and the interval of convergence of the power series

$$\sum_{n=0}^{\infty} (-1)^n \frac{1}{\sqrt{n+5}} (x-2)^n$$

5.15 *pnts* State whether each of the following series is absolutely convergent, conditionally convergent, or divergent. You do not have to show your work. Each correct answer is worth 3 *pnts* and each wrong answer is worth 0 *pnts*.

1.
$$\sum_{n=1}^{\infty} (-1)^n \frac{\sqrt{n+1} - \sqrt{n}}{\sqrt{n+1} + \sqrt{n}}.$$

2.
$$\sum_{n=1}^{\infty} \cos\left(\frac{\pi}{2} + \frac{1}{n^2}\right).$$

3.
$$\sum_{n=1}^{\infty} \frac{n \sin n}{n^3 + 1}.$$

4.
$$\sum_{n=1}^{\infty} \tan\left(\frac{1}{n}\right) \sin\left(\frac{\pi}{2} + \pi n\right).$$

5.
$$\sum_{n=1}^{\infty} n^2 \cos\left(\frac{\pi n}{2}\right)$$

6.15 *pnts* These are True-False questions. If the answer is True, you should explain why (concisely). If the answer is False, you should give a counter-example. Each problem is worth 5 points if the answer is correct and 0 points if the answer is not correct.

1. If the series $\sum_{n=1}^{\infty} a_n$ converges and the series $\sum_{n=1}^{\infty} a_n^2$ diverges, then $\sum_{n=1}^{\infty} a_n$ converges conditionally.

2. If the series $\sum_{n=1}^{\infty} a_n$ converges, then the series $\sum_{n=1}^{\infty} (a_n + |a_n|)$ converges.

3. If the series $\sum_{n=1}^{\infty} a_n$ converges and the sequence $\{b_n\}_{n=1}^{\infty}$ converges as $n \rightarrow \infty$, and $b_n \neq 0$, then $\sum_{n=1}^{\infty} a_n b_n$ converges.

7.15 *pnts* For each statement indicate whether it is true or false. You do not have to show your work. Each correct answer is worth 3 *pnts* and each wrong answer is worth 0 *pnts*.

1. If a series $\sum_{n=1}^{\infty} (-1)^n a_n$ diverges and R is the radius of convergence of

$$\sum_{n=0}^{\infty} a_n (x-1)^n, \text{ then } R \leq 2.$$

2. If $\sum_{n=1}^{\infty} c_n (x-1)^n$ converges at $x=3$, then $\sum_{n=1}^{\infty} c_n$ converges.

3. The radius of convergence of $\sum_{n=1}^{\infty} (1+5^n)x^n$ is greater than 4.

4. Even though the series $\sum_{n=1}^{\infty} c_n (x-1)^n$ converges at $x=-1$, the series

$$\sum_{n=1}^{\infty} c_n 2^n \text{ may diverge.}$$

5. If the series $\sum_{n=1}^{\infty} c_n x^n$ converges absolutely for $|x| \leq 2$ then the radius of convergence is 2.

8.15 *pnts* Find the general solution to the differential equation

$$yy' - y^2x = x .$$

9.15 *pnts* Find the solution to the initial value problem

$$y'' + y = x^2 + e^x, \quad y(0) = -\frac{3}{2}, \quad y'(0) = \frac{1}{2}.$$

10.15 *pnts* Find the solution to the initial value problem

$$y' + y \tan x = \sec x, \quad y(0) = 0 .$$

11.15 *pnts* Match pictures to differential equations.

a. $\frac{dy}{dx} = y^3 - x^3$

b. $\frac{dy}{dx} = \frac{y^2}{x^2}$

c. $\frac{dy}{dx} = -x + y$

d. $\frac{dy}{dx} = x^2 + y^2$

e. $\frac{dy}{dx} = y^2 - x^2$

12.15 *pts* Find the power series solution to the initial value problem:

$$xy'' + xy = 0, \quad y(0) = 1, \quad y'(0) = 0 .$$